

# VanMoof – Bike Config Tagging Briefing V0.1

## Introduction

In this functional briefing, a first version of the implementation of the tagging in the bike configurator on the [vanmoof.com](https://vanmoof.com) website is described. The briefing will cover the basics: having a start and finish event, being able to track the steps the user visits and whether the configuration is added to the cart after completing. More information about setting up custom events can be found [here](#)

Please note, as Marketing Engineers is not aware of the code structure of the configurator, the briefing is purely functional the responsible developers should decide on the technical implementation (however, Marketing Engineers can provide recommendations on the most robust ways).

For any questions related to this document or in general; we are always available at: [vanmoof@marketingengineers.nl](mailto:vanmoof@marketingengineers.nl)



Marketing  
Engineers

VANMOOF

1. Accessing and thus the configurator page being completely loaded (any form of entry; direct, or any CTA on PDP) should trigger:

**Event:**

*config\_start*

*config\_step\_view*

**Event parameters:**

*step\_name*

*step\_number*


[staging.vanmoof.com/en-NL/configurator](https://staging.vanmoof.com/en-NL/configurator)

**NOTE: Not specifically the /en-NL/ page, but all configurator pages.**

More specifically, when the first step of the configurator ("Model") is loaded, the values of these event parameters should be updated to:

*step\_name = model*

*step\_number = 1*



Marketing  
Engineers

VANMOOF

2. When then the second step of the configurator (“Accessories”) is loaded, the following should trigger:


**Event:**

*config\_step\_view*

**Event parameter** (value update):

step\_name = *accessories*

step\_number = 2



Marketing  
Engineers

VANMOOF

- When then the third step of the configurator ("Extras") is loaded, the following should trigger:


**Event:**

*config\_step\_view*

**Event parameter** (value update):

step\_name = *extras*

step\_number = 3



Marketing  
Engineers

VANMOOF

4. When then the fourth step of the configurator (“Services”) is loaded, the following should trigger:


**Event:**

*config\_step\_view*

**Event parameter** (value update):

step\_name = *services*

step\_number = 4



Marketing  
Engineers

VANMOOF

5. When then the fifth and final step of the configurator (“Summary”) is loaded, the following should trigger:

**Event:**


*config\_step\_view*

*config\_finish*

**Event parameter** (value update):

step\_name = *summary*

step\_number = 5




Marketing  
Engineers

VANMOOF

- When the “checkout” button is clicked in the final step to add the configuration to the cart (or the cart is loaded (or the cart page is completely loaded after adding the configuration to it) , the following should trigger:

**Event:**

*config\_cart\_add*



Marketing  
Engineers

VANMOOF